

THE REPLACEMENT GUIDE FOR IBM TYPEWRITERS





THE REPLACEMENT GUIDE FOR IBM TYPEWRITERS

January 1985

Historical Commercial Typewriter Information

The contents of this booklet will assist in product identification as well as providing necessary information needed to propose a typewriter replacement program for your customers. Approximate Unit Prices may vary, up or down, depending on:

- When a price increase or decrease was announced in a given year
 - The amount of inventory at any given location when a price adjustment was announced
 - Where the typewriter was purchased (e.g. IBM, ATD, Independent, etc.)
 - Any volume purchase agreements (VPA) between the customer and outlet
-

Product Identification By Model Number

Model Number	Product Name	Carriage Size
121	Model D Standard	12.5"
122	Model D Standard	16.0"
123	Model D Standard	19.0"
421	Model D Executive	12.5"
422	Model D Executive	16.0"
423	Model D Executive	19.0"
711	Selectric®	11.0"
713	Selectric®	13.5"
715	Selectric®	15.5"
721	Selectric®	11.0"
723	Selectric®	13.5"
725	Selectric®	15.5"
821	Model D Standard	12.5"
822	Model D Standard	16.0"
823	Model D Standard	19.0"
833	Selectric® II	13.5"
835	Selectric® II	15.5"
843	Selectric® II	13.5"
845	Selectric® II	15.5"
853	Correcting Selectric® II	13.5"
855	Correcting Selectric® II	15.5"
873	Selectric® II	13.5"
875	Selectric® II	15.5"
883	Selectric® II	13.5"
885	Selectric® II	15.5"
893	Correcting Selectric® II	13.5"
895	Correcting Selectric® II	15.5"
6126	Personal Typewriter	11.0"
6700	Correcting Selectric® III	13.5"
6701	Selectric® III	13.5"
6702	Selectric® III	13.5"
6703	Correcting Selectric® III	15.5"
6704	Correcting Selectric® III	13.5"
6705	Correcting Selectric® III	15.5"
6713	Electronic Model 50, 60, 75	15.5"
6714	Electronic 65, 85, 95	15.5"
6723	Electronic Model 50, 60, 75	19.1"
6724	Electronic 65, 85, 95	19.1"
6746	Wheelwriter® 3	15.5"
6747	Wheelwriter® 5	15.5"
6750	Quietwriter® 7	15.5"

<i>Ribbon System/Type*</i>	<i>Pitch</i>	<i>Page</i>
Fabric	Single	16
Fabric	Single	16
Fabric	Single	16
Carbon	Proportional	16
Carbon	Proportional	16
Carbon	Proportional	16
Carbon Film	Single	14
Carbon Film	Single	12
Carbon Film	Single	12
Fabric	Single	14
Fabric	Single	12
Fabric	Single	12
Carbon	Single	16
Carbon	Single	16
Carbon	Single	16
Selective Ribbon	Single	9
Selective Ribbon	Single	9
Fabric	Dual	10
Fabric	Dual	10
Selective Ribbon	Single	8
Selective Ribbon	Single	8
Selective Ribbon	Dual	10
Selective Ribbon	Dual	10
Fabric	Dual	N/A
Fabric	Dual	N/A
Selective Ribbon	Dual	8
Selective Ribbon	Dual	8
Ribbon Cassette	12 Pitch Only	N/A
Selective/Ribbon Cassette	Single	6
Fabric	Single	6
Carbon Film	Single	6
Selective/Ribbon Cassette	Single	6
Selective/Ribbon Cassette	Dual	6
Selective/Ribbon Cassette	Dual	6
Selective/Ribbon Cassette	Dual**	4
Ribbon Cassette	10, 12, PS	4
Selective/Ribbon Cassette	Dual**	4
Ribbon Cassette	10, 12, PS	4
Easystrike~ Cassette	10, 12, 15	N/A
Easystrike~ Cassette	10, 12, 15, PS	N/A
Quiet~ Supplies	10, 12, 15, PS	N/A

*Selective Ribbon System

- IBM High Yield Correctable Film
- IBM Tech III
- IBM Film Cartridge
- IBM Lift-off Tape
- IBM Cover-up Tape

*Ribbon Cassette System

- IBM 210 Correctable Film
- IBM 800 T-III
- IBM Lift-off Tape
- IBM Cover-up Tape

**Model 50 also has proportional spacing pitch

Specifications

IBM Electronic 65, 85, 95



Maximum Paper Capacity: (Wide Carriage)	15.5 in. 19.1 in.
Writing Line: (Wide Carriage)	13.0 in. 16.6 in.
Case Width at Widest Point: (Wide Carriage)	21.6 in. 25.2 in.
Outside Width (Platen Knobs): (Wide Carriage)	24.1 in. 27.7 in.
Depth (Front to Back):	17.8 in.
Height:	7.0 in.
Weight (Approximate): (Wide Carriage)	47.5 lbs. 52.0 lbs.

IBM Electronic Models 50 & 60



Maximum Paper Capacity: (Wide Carriage)	15.5 in. 19.1 in.
Writing Line: (Wide Carriage)	13.0 in. 16.6 in.
Case Width at Widest Point: (Wide Carriage)	21.1 in. 24.7 in.
Outside Width (Platen Knobs): (Wide Carriage)	23.6 in. 27.2 in.
Depth (Front to Back):	17.6 in.
Height:	6.5 in.
Weight (Approximate): (Wide Carriage)	51.0 lbs. 56.0 lbs.

IBM Electronic Model 75



Maximum Paper Capacity: (Wide Carriage)	15.5 in. 19.1 in.
Writing Line: (Wide Carriage)	13.0 in. 16.6 in.
Case Width at Widest Point: (Wide Carriage)	21.1 in. 24.7 in.
Outside Width (Platen Knobs): (Wide Carriage)	23.6 in. 27.2 in.
Depth (Front to Back):	17.6 in.
Height:	6.5 in.
Weight (Approximate): (Wide Carriage)	50.0 lbs. 55.0 lbs.

IBM Electronic Typewriters — Models 65/85/95

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
6714	7,000,000 - 7,009,408	1982	X65 \$1,495.00	3
			X85 \$1,950.00	3
6714	7,009,409 - 7,095,643	1983	X65 \$1,495.00	2
			X85 \$1,950.00	2
6714	7,095,644 and up	1984	X65 \$1,495.00	1
			X85 \$1,950.00	1
			X95 \$2,395.00	1
6724	7,500,000 - 7,500,375	1982	X65 \$1,680.00	3
			X85 \$2,135.00	3
6724	7,500,376 - 7,510,443	1983	X65 \$1,680.00	2
			X85 \$2,135.00	2
6724	7,510,444 and up	1984	X65 \$1,680.00	1
			X85 \$2,135.00	1
			X95 \$2,580.00	1


IBM Electronic Typewriters — Models 50/60

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
6713	0,000,001 - 0,025,082	1978	\$1,675.00	7
6713	0,025,083 - 0,099,837	1979	\$1,485.00	6
6713	0,099,638 - 0,142,729	1980	\$1,590.00	5
6713	0,142,730 - 0,187,775	1981	\$1,430.00	4
6713	0,187,776 - 0,213,055	1982	\$1,350.00	3
6713	0,213,056 and up	1983	\$1,350.00	2
6723	2,000,000 - 2,001,529	1978	\$1,775.00	7
6723	2,001,530 - 2,011,628	1979	\$1,585.00	6
6723	2,011,629 - 2,020,174	1980	\$1,695.00	5
6723	2,020,175 - 2,031,050	1981	\$1,525.00	4
6723	2,031,051 - 2,035,004	1982	\$1,505.00	3
6723	2,035,005 and up	1983	\$1,505.00	2

IBM Electronic Typewriters — Model 75

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
6713	3,000,000 - 3,010,278	1979	\$2,075.00	6
6713	3,010,279 - 3,080,742	1980	\$2,075.00	5
6713	3,080,743 - 3,136,002	1981	\$2,075.00	4
6713	3,136,003 - 3,165,809	1982	\$1,950.00	3
6713	3,165,810 and up	1983	\$1,950.00	2
6723	4,000,000 - 4,000,148	1979	\$2,200.00	6
6723	4,000,149 - 4,004,556	1980	\$2,200.00	5
6723	4,004,557 - 4,009,406	1981	\$2,200.00	4
6723	4,009,407 - 4,011,924	1982	\$2,135.00	3
6723	4,011,925 and up	1983	\$2,135.00	2

Specifications



IBM Correcting Selectric® III Typewriter

	<i>Model 6701</i>	<i>Model 6705</i>
Maximum Paper Capacity:	13.5 inches	15.5 inches
Writing Line:	11.0 inches	13.0 inches
Case Width at Widest Point:	18.5 inches	20.5 inches
Outside Width (Platen Knob to Knob):	20.25 inches	22.25 inches
Depth (Front to Back):	15.5 inches	15.5 inches
Height:	7.1 inches	7.1 inches
Weight (Approximate):	37 lbs.	39 lbs.
Power Requirements:	115V 60 Hz	115V 60 Hz

IBM Correcting Selectric® III Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Single Unit Price	Approx. Age
6705	4,000,000 - 4,110,573	1980	\$1,175.00	5
6705	5,000,000 - 5,033,498	1980	\$1,175.00	5
6705	5,033,499 - 5,177,163	1981	\$1,035.00	4
6705	4,110,574 - 4,418,832	1981	\$1,035.00	4
6705	5,177,164 - 5,297,612	1982	\$1,035.00	3
6705	4,418,833 - 4,667,822	1982	\$1,035.00	3
6705	4,667,823 - 4,909,455	1983	\$1,035.00	2
6705	4,909,455 and up	1984*	\$ 998.00	1
6703	2,000,000 - 2,029,753	1981	\$ 950.00	4
6703	2,029,754 - 2,037,334	1982	\$ 950.00	3
6704	3,000,000 - 3,003,246	1980	\$1,015.00	5
6704	3,003,247 - 3,017,876	1981	\$1,015.00	4
6704	3,017,877 - 3,023,024	1982	\$1,015.00	3
6700	0,000,001 - 0,021,501	1982	\$ 895.00	3
6700	0,021,502 - 0,041,919	1983	\$ 895.00	2
6700	0,041,920 and up	1984*	\$ 870.00	1

IBM Selectric® III Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Single Unit Price	Approx. Age
6701	0,000,001 - 0,014,388	1981	\$ 810.00	4
6701	0,014,389 - 0,047,079	1982	\$ 810.00	3
6701	0,047,080 - 0,076,170	1983	\$ 810.00	2
6701	0,076,171 and up	1984*	\$ 810.00	1
6702	1,000,000 - 1,012,830	1981	\$ 845.00	4
6702	1,012,831 - 1,016,582	1982	\$ 845.00	3

* 6701/001, 6700/A01, 6705/A01, 6705/K01 Discontinued as of 1/1/85
6705/B01, 6701/L12, 6701/R12 Announced as of 10/16/84

Specifications



IBM Correcting Selectric® II Typewriter

	<i>Models</i> 893, 853	<i>Models</i> 895, 855
Maximum Paper Capacity:	13.5 inches	15.5 inches
Writing Line:	11.0 inches	13.0 inches
Outside Width (Platen Knob to Knob):	20.0 inches	22.0 inches
Depth (Front to Back):	15.6 inches	15.6 inches
Height:	7.6 inches	7.6 inches
Weight (Approximate):	36 lbs.	38 lbs.
Power Requirements:	115V 60 Hz	115V 60 Hz

IBM Correcting Selectric® II Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
893	1,152,935 - 1,253,403	03/02/73 - 12/03/73	\$ 670.00	12
893	1,253,404 - 1,360,669	12/04/73 - 09/08/74	\$ 700.00	11
893	1,360,670 - 1,615,211	09/09/74 - 01/26/76	\$ 750.00	10
893	1,615,212 - 1,809,725	01/27/76 - 04/18/77	\$ 810.00	9
893	1,809,726 - 1,989,988	04/19/77 - 07/09/78	\$ 840.00	8
893	5,000,210 - 5,126,951	07/10/78 - 06/21/79	\$ 880.00	7
893	5,126,952 - 5,200,758	06/22/79 - 01/06/80	\$ 940.00	6
893	5,200,759 - 5,255,471	01/07/80 - 05/20/80	\$1,005.00	5
893	5,255,472 - 5,291,541	05/21/80 - 01/02/81*	\$1,075.00	4
895	2,190,586 - 2,341,363	03/01/73 - 12/03/73	\$ 680.00	12
895	2,341,364 - 2,522,440	12/04/73 - 09/08/74	\$ 720.00	11
895	2,522,441 - 3,005,409	09/09/74 - 01/26/76	\$ 770.00	10
895	3,005,410 - 3,427,859	01/27/76 - 04/18/77	\$ 830.00	9
895	4,345,406 - 4,432,330	08/01/76 - 04/18/77	\$ 830.00	9
895	3,427,860 - 3,867,695	04/19/77 - 07/09/78	\$ 860.00	8
895	4,432,331 - 4,623,664	04/19/77 - 07/09/78	\$ 860.00	8
895	6,002,803 - 6,388,812	07/10/78 - 06/21/79	\$ 900.00	7
895	4,623,665 - 4,785,800	07/10/78 - 06/21/79	\$ 900.00	7
895	6,388,813 - 6,603,755	06/22/79 - 01/06/80	\$ 960.00	6
895	4,785,800 - 4,874,280	06/22/79 - 01/06/80	\$ 960.00	6
895	6,603,756 - 6,749,331	01/07/80 - 05/20/80	\$1,025.00	5
895	4,874,281 - 4,951,353	01/07/80 - 05/20/80	\$1,025.00	5
895	5,002,931 - 5,005,539	01/07/80 - 05/20/80	\$1,025.00	5
895	6,749,332 - 6,874,286	05/21/80 - 02/01/81	\$1,095.00	5
895	4,951,353 - 4,993,079	05/21/80 - 02/01/81	\$1,095.00	5
895	4,994,080 - 4,999,311	02/02/81 - 04/06/81*	\$1,095.00	4
895	0,700,000 - 0,719,251	04/07/81 - 12/31/81	—	4
895	0,719,252 - 0,732,041	01/01/82 - 09/30/82	—	3
853	1,152,935 - 1,253,403	03/01/73 - 12/03/73	\$ 620.00	12
853	1,253,404 - 1,360,669	12/04/73 - 09/08/74	\$ 650.00	11
853	1,360,670 - 1,615,211	09/09/74 - 01/26/76	\$ 680.00	10
853	1,615,212 - 1,809,725	01/27/76 - 04/18/77	\$ 720.00	9
853	1,809,726 - 1,989,988	04/19/77 - 07/09/78	\$ 760.00	8
853	5,000,210 - 5,126,951	07/10/78 - 06/21/79	\$ 795.00	7
853	5,126,952 - 5,200,758	06/22/79 - 01/06/80	\$ 855.00	6
853	5,200,759 - 5,255,471	01/07/80 - 05/20/80	\$ 915.00	5
853	5,255,472 - 5,291,541	05/21/80 - 01/02/81*	\$ 980.00	5
855	2,190,586 - 2,341,363	03/01/73 - 12/03/73	\$ 640.00	12
855	2,341,364 - 2,522,440	12/04/73 - 09/08/74	\$ 670.00	11
855	2,522,441 - 3,005,409	09/09/74 - 01/26/74	\$ 700.00	10
855	3,005,410 - 3,427,859	01/27/76 - 04/18/77	\$ 740.00	9
855	3,427,860 - 3,867,695	04/18/77 - 07/09/78	\$ 780.00	8
855	6,002,803 - 6,388,812	07/10/78 - 06/21/79	\$ 815.00	7
855	6,388,814 - 6,603,755	06/22/79 - 01/06/80	\$ 875.00	6
855	6,603,756 - 6,749,331	01/07/80 - 05/20/80	\$ 935.00	5
855	6,749,332 - 6,874,286	05/21/80 - 01/02/81*	\$1,000.00	5

* IBM discontinued 04/06/81. Independent dealers marketed Model 895 through 1984.

IBM Selectric® II Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
833	1,000,000 - 1,029,000	1971	\$560.00	14
833	1,029,001 - 1,125,000	1972	\$560.00	13
833	1,125,001 - 1,254,000	1973	\$560.00	12
833	1,254,001 - 1,409,000	1974	\$590.00	11
833	1,409,001 - 1,584,100	1975	\$605.00	10
833	1,584,101 - 1,756,800	1976	\$630.00	9
833	1,756,801 - 1,916,700	1977	\$680.00	8
833	1,916,701 - 1,990,000	1978	\$680.00	7
833	5,000,000 - 5,054,100	1978	\$710.00	7
833	5,054,101 - 5,187,700	1979	\$770.00	6
833	5,187,701 - 5,255,471	1980	\$825.00	5
833	5,255,472 - 5,285,200	1980	\$885.00	5
833	5,285,201 - 5,316,200	1981	—	4
833	5,316,201 - 5,316,500	1982	—	3
835	2,000,000 - 2,033,500	1971	\$580.00	14
835	2,033,501 - 2,155,800	1972	\$580.00	13
835	2,155,801 - 2,342,000	1973	\$580.00	12
835	2,342,001 - 2,604,000	1974	\$610.00	11
835	2,604,001 - 2,939,300	1975	\$625.00	10
835	2,939,301 - 3,312,400	1976	\$650.00	9
835	3,312,401 - 3,680,700	1977	\$700.00	8
835	3,680,701 - 3,867,700	1978	\$700.00	7
835	6,000,000 - 6,162,200	1978	\$730.00	7
835	6,162,202 - 6,576,400	1979	\$790.00	6
835	6,576,401 - 6,749,331	1980	\$845.00	5
835	6,749,332 - 6,862,300	1980	\$905.00	5
835	6,862,301 - 6,958,179	1981	—	4
835	6,958,180 - 7,054,912	1982	—	3
835	7,054,913 - 7,193,750	1983	—	2



IBM Selectric® II Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
873	1,000,000 - 1,029,000	1971	\$ 610.00	14
873	1,029,001 - 1,125,000	1972	\$ 610.00	13
873	1,125,001 - 1,254,000	1973	\$ 610.00	12
873	1,254,001 - 1,409,000	1974	\$ 640.00	11
873	1,409,001 - 1,584,100	1975	\$ 675.00	10
873	1,584,101 - 1,756,800	1976	\$ 720.00	9
873	1,756,801 - 1,916,700	1977	\$ 760.00	8
873	1,916,701 - 1,990,000	1978	\$ 760.00	7
873	5,000,000 - 5,054,100	1978	\$ 795.00	7
873	5,054,101 - 5,187,700	1979	\$ 855.00	6
873	5,187,701 - 5,255,471	1980	\$ 915.00	5
873	5,255,472 - 5,285,200	1980	\$ 980.00	5
873	5,285,201 - 5,316,200	1981	—	4
873	5,316,201 - 5,316,500	1982	—	3
875	2,000,000 - 2,033,500	1971	\$ 630.00	14
875	2,033,500 - 2,155,800	1972	\$ 630.00	13
875	2,155,801 - 2,342,000	1973	\$ 630.00	12
875	2,342,001 - 2,604,000	1974	\$ 660.00	11
875	2,604,001 - 2,939,300	1975	\$ 695.00	10
875	2,939,301 - 3,312,400	1976	\$ 740.00	9
875	3,312,401 - 3,680,700	1977	\$ 780.00	8
875	3,680,701 - 3,867,700	1978	\$ 780.00	7
875	6,000,000 - 6,162,200	1978	\$ 815.00	7
875	6,162,201 - 6,576,400	1979	\$ 875.00	6
875	6,576,401 - 6,749,331	1980	\$ 935.00	5
875	6,749,332 - 6,862,300	1980	\$1,000.00	5
875	6,862,301 - 6,958,179	1981	—	4
875	6,958,180 - 7,054,912	1982	—	3
875	7,054,913 - 7,193,750	1983	—	2

Note: 843/845 would fall in same serial range as 873/875 respectively.

Specifications



IBM Selectric® Typewriter

	<i>Model 7X5</i>	<i>Model 7X3</i>
Maximum Paper Capacity:	15.5 inches	13.5 inches
Writing Line:	13.0 inches	11.0 inches
Outside Width (Platen Knob to Knob):	19.9 inches	17.9 inches
Depth (Front to Back):	15.2 inches	15.1 inches
Height:	7.1 inches	7.1 inches
Weight (Approximate):	37 lbs.	35 lbs.
Power Requirements:	115V 60 Hz	115V 60 Hz

IBM Selectric® Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
7X5	4,000,000 - 4,352,100	1961	\$445.00	24
7X5	4,352,101 - 4,383,100	1962	\$495.00	23
7X5	4,383,101 - 4,402,100	1963	\$495.00	22
7X5	4,402,101 - 4,427,100	1964	\$495.00	21
7X5	4,427,101 - 4,463,100	1965	\$510.00	20
7X5	4,463,101 - 4,522,100	1966	\$510.00	19
7X5	4,522,101 - 4,598,100	1967	\$510.00	18
7X5	4,598,101 - 4,680,000	1968	\$520.00	17
7X5	5,460,001 - 5,669,600	1969	\$540.00	16
7X5	5,669,601 - 5,728,000	1970	\$540.00	15
7X5	9,210,000 - 9,269,600	1970	\$540.00	15
7X5	9,269,601 - 9,365,600	1971	\$540.00	14
7X5	9,365,601 - 9,399,999	1972	\$550.00	13
7X5	9,600,000 - 9,632,000	1972	\$550.00	13
7X5	9,632,001 - 9,690,620	1973	\$550.00	12
7X5	9,690,621 - 9,699,900	1974	\$580.00	11
7X5	0,300,000 - 0,351,300	1974	\$610.00	11
7X5	0,351,301 - 0,372,769	1975	\$610.00	10
7X5	0,372,770 - 0,372,800	1976	—	9
7X3	4,700,000 - 4,709,100	1962	\$475.00	23
7X3	4,709,101 - 4,736,100	1963	\$475.00	22
7X3	4,736,101 - 4,766,100	1964	\$475.00	21
7X3	4,766,101 - 4,807,100	1965	\$490.00	20
7X3	4,807,101 - 4,873,100	1966	\$490.00	19
7X3	4,873,101 - 4,960,100	1967	\$490.00	18
7X3	4,960,101 - 5,200,100	1968	\$500.00	17
7X3	5,200,101 - 5,238,900	1969	\$500.00	16
7X3	5,238,901 - 5,316,800	1969	\$520.00	16
7X3	5,316,801 - 5,378,000	1970	\$520.00	15
7X3	9,020,000 - 9,072,600	1970	\$520.00	15
7X3	9,072,601 - 9,159,800	1971	\$520.00	14
7X3	9,159,801 - 9,206,500	1972	\$530.00	13
7X3	9,700,000 - 9,714,000	1972	\$530.00	13
7X3	9,714,001 - 9,768,900	1973	\$530.00	12
7X3	9,768,901 - 9,799,999	1974	\$560.00	11
7X3	0,400,000 - 0,454,852	1974	\$590.00	11
7X3	0,454,853 - 0,481,556	1975	\$590.00	10
7X3	0,481,557 - 0,481,561	1976	—	9

Specifications



IBM Selectric® Typewriter

Models 7X1

Maximum Paper Capacity:	11.0 inches
Writing Line:	8.5 inches
Outside Width (Platen Knob to Knob):	15.3 inches
Depth (Front to Back):	15.1 inches
Height:	7.1 inches
Weight (Approximate):	31 lbs.
Power Requirements:	115V 60 Hz

IBM Selectric® Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
7X1	4,000,000 - 4,033,100	1961	\$435.00	24
7X1	4,033,101 - 4,086,100	1962	\$435.00	23
7X1	4,086,101 - 4,115,100	1963	\$435.00	22
7X1	4,115,101 - 4,141,100	1964	\$435.00	21
7X1	4,141,101 - 4,181,100	1965	\$450.00	20
7X1	4,181,101 - 4,225,100	1966	\$450.00	19
7X1	4,225,101 - 4,350,000	1967	\$450.00	18
7X1	5,726,001 - 5,773,100	1968	\$460.00	17
7X1	5,773,101 - 5,787,300	1969	\$460.00	16
7X1	5,787,301 - 5,822,200	1969	\$480.00	16
7X1	5,822,201 - 5,850,000	1970	\$480.00	15
7X1	9,400,000 - 9,422,500	1970	\$480.00	15
7X1	9,422,501 - 9,473,300	1971	\$480.00	14
7X1	9,473,301 - 9,523,400	1972	\$490.00	13
7X1	9,523,401 - 9,589,700	1973	\$490.00	12
7X1	9,589,701 - 9,599,999	1974	\$505.00	11
7X1	0,200,000 - 0,261,014	1974	\$505.00	11
7X1	0,261,015 - 0,299,999	1975	\$535.00	10
7X1	0,600,000 - 0,638,570	1975	\$535.00	10
7X1	0,638,570 - 0,694,329	1976	\$575.00	9
7X1	0,694,330 - 0,746,859	1977	\$610.00	8
7X1	0,746,859 - 0,813,405	1978	\$610.00	7
7X1	0,813,406 - 0,849,175	1979	\$640.00	6
7X1	0,849,176 - 0,879,811	1979	\$675.00	6
7X1	0,879,812 - 0,913,352	1980	\$725.00	5
7X1	0,913,353 - 0,937,911	1980	\$775.00	5
7X1	0,937,912 - 1,002,660	1981	\$775.00	4
7X1	1,002,661 - 1,036,658	1982	—	3
7X1	1,036,658 - 1,061,818	1983	—	2
7X1	1,061,819 and up	1984*	\$810.00	1

*Discontinued as of 3/20/84.

Specifications



***IBM Model D Executive
Typewriter***



***IBM Model D Standard
Typewriter***

	<i>Models 421, 821</i>	<i>Models 422, 822</i>	<i>Models 423, 823</i>
Maximum Paper Capacity:	12.5 inches	16.0 inches	19.0 inches
Writing Line:	12.4 inches	15.9 inches	18.9 inches
Outside Width (Carriage Centered):	18 $\frac{5}{8}$ inches	22 $\frac{1}{8}$ inches	22 1/32 inches
Case Width (Base):	16 $\frac{5}{8}$ inches	16 $\frac{5}{8}$ inches	16 $\frac{5}{8}$ inches
Depth:	16 $\frac{7}{8}$ inches	16 $\frac{7}{8}$ inches	16 $\frac{7}{8}$ inches
Height:	9 $\frac{1}{4}$ inches	9 $\frac{1}{4}$ inches	9 $\frac{1}{4}$ inches
Weight (Approximate):	48 lbs.	50 lbs.	52 lbs.

IBM Model D Executive Typewriter

Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
421	8,250,000 - 8,296,100	1967	\$685.00	18
421	8,296,101 - 8,350,100	1968	\$685.00	17
421	8,350,101 - 8,367,200	1969	\$685.00	16
421	8,367,201 - 8,397,800	1969	\$705.00	16
421	8,397,801 - 8,443,000	1970	\$705.00	15
421	8,443,001 - 8,474,200	1971	\$705.00	14
421	8,474,201 - 8,509,600	1972	\$725.00	13
421	8,509,601 - 8,548,800	1973	\$725.00	12
421	8,548,801 - 8,578,100	1974	\$750.00	11
421	8,578,101 - 8,596,900	1975*	\$805.00	10
422	8,596,901 - 8,607,400	1976	\$875.00	9
422	8,607,401 - 8,617,610	1977	\$950.00	8
422	8,617,611 - 8,620,989	1978	\$950.00	7
422	8,620,990 and up	1979**	\$995.00	6

IBM Model D Standard Typewriter


Model	Serial Number Range	Approx. Year Manufactured	Approx. Unit Price	Approx. Age
821	6,000,000 - 6,120,100	1967	\$490.00	18
821	6,120,101 - 6,254,100	1968	\$490.00	17
821	6,254,101 - 6,300,900	1969	\$490.00	16
821	6,300,901 - 6,389,500	1969	\$510.00	16
821	6,389,501 - 6,527,000	1970	\$510.00	15
821	6,527,001 - 6,632,000	1971	\$510.00	14
821	6,632,001 - 6,733,000	1972	\$535.00	13
821	6,733,001 - 6,840,100	1973	\$535.00	12
821	6,840,101 - 6,930,100	1974	\$560.00	11
821	6,930,101 - 6,982,100	1975*	\$605.00	10
822	6,982,101 - 7,012,389	1976	\$660.00	9
822	7,012,390 - 7,037,450	1977	\$715.00	8
822	7,037,451 - 7,056,219	1978	\$715.00	7
822	7,056,220 and up	1979**	\$750.00	6

* 421 & 821 Discontinued as of 1/1/76

** 422 & 822 Discontinued as of 10/1/79

Note: Price difference between a 12.5" carriage and a 16" carriage ranged between \$10.00 to \$30.00. Price difference between a 16" carriage and a 19" carriage ranged between \$50.00 and \$95.00.

IBM Model C Executive Typewriter




IBM Model C Standard Typewriter



IBM Model B Executive Typewriter



IBM Model B Standard Typewriter



IBM Model C Executive Typewriter

<i>Serial Number Range</i>	<i>Approx. Year Manufactured</i>	<i>Approx. Age</i>
2,000,000 - 2,035,100	1959	26
2,035,101 - 2,067,100	1960	25
2,067,101 - 2,097,100	1961	24
2,097,101 - 2,129,100	1962	23
2,129,101 - 2,150,100	1963	22
2,150,101 - 2,200,100	1964	21
2,200,101 - 2,250,100	1965	20
2,250,101 - 2,301,100	1966	19
2,301,101 - 2,312,580	1967	18

IBM Model C Standard Typewriter

<i>Serial Number Range</i>	<i>Approx. Year Manufactured</i>	<i>Approx. Age</i>
1,000,000 - 1,103,500	1958	27
1,103,501 - 1,240,100	1959	26
1,240,101 - 1,385,100	1960	25
1,385,101 - 1,500,100	1961	24
1,500,101 - 1,643,100	1962	23
1,643,101 - 1,780,000	1963	22
1,780,001 - 1,930,000	1964	21
1,930,001 - 2,580,000	1965	20
2,580,001 - 2,760,000	1966	19
2,760,001 - 2,791,783	1967	18

IBM Model B Executive Typewriter

<i>Serial Number Range</i>	<i>Approx. Year Manufactured</i>	<i>Approx. Age</i>
100,103 - 114,949	1954	31
114,950 - 134,373	1955	30
134,374 - 159,331	1956	29
159,332 - 187,310	1957	28
187,311 - 211,739	1958	27

IBM Model B Standard Typewriter

<i>Serial Number Range</i>	<i>Approx. Year Manufactured</i>	<i>Approx. Age</i>
300,399 - 351,509	1954	31
351,510 - 426,127	1955	30
426,128 - 550,541	1956	29
550,542 - 665,117	1957	28
665,118 - 849,999	1958	27

IBM

International Business Machines
National Distribution Division
Dept. K6A
Atlanta, Georgia
5/85
Form No. 71K6222